



ADDENDUM

03 | 200522

Garnet Valley School District

Date of Addendum: 22 May, 2020

Renovations to: Garnet Valley Middle School
and Garnet Valley Elementary School

Marotta/Main Architects Project No.
19-GVSD-01

The original Project Manuals and Drawings dated 05 May, 2020 for the project noted above, are amended as noted in this Addendum No. 03.

Receipt of this Addendum shall be acknowledged by inserting its number and date in the space provided on the Bid Form.

This Addendum consists of 02 Pages and all attachments listed.

CLARIFICATIONS

- 02.01 No changes have been made to the bid date, time, or location.
- 02.02 There are no liquidated damages on the project. Refer to "Advertisement to Bid" 00 11 13 and DELETE references / requirements to liquidated damages under 1.6A.

SPECIFICATIONS

- 02.03 Refer to Specification Section 10 14 23 PANEL SIGNAGE and ADD the missing text heading of "Accessible Toilet Rooms" to 3.4.B.
- 02.04 Refer to Specification Section 10 14 23 PANEL SIGNAGE and DELETE the following:
 - "B. Directional Signage"
 - "C. In Areas of Assembly..."
- 02.05 Refer to Specification Section 10 14 23 PANEL SIGNAGE and ADD the following:
 - C. Entrance Signage, Lobby Entrances: Provide and Install Room Signage outside Exterior
 - 1. Sign Size: Not less than 9-inches by 9-inches, and as required to accommodate text size / length.
 - 2. Text Format: Centered, Symbols and Room Designation.
 - 3. Insert: Acrylic insert, computer generated vinyl lettering.
 - 4. Symbols: 4-inch accessibility symbol with the verbal description "ENTRANCE" placed directly below followed by Grade 2 Braille.
 - D. Provide a tactile sign stating "EXIT" adjacent to each door to an egress stairway, an exit passageway and the exit discharge. General Contractor to verify all required locations with Authority Having Jurisdiction. Sign Size: not less than 3-inches high by 6-inches wide.

SIGNAGE SCHEDULE

Door Location	Signage Type	Size	Location
<u>GVES</u>			
01/100a	Accessible ENTRANCE	8"x8"	Building exterior
01/100a, 01/102	EXIT	3"x6"	Interior
<u>GVMS</u>			
Vest 100A	Accessible ENTRANCE	8"x8"	Building exterior
Vest 100A (both pairs)	EXIT	3"x6"	Interior

Relocate the following:

“Main Office” from Office entrance in vestibule to office entrance at Door 01/102, latch side

“Principal” from existing location to new door location

“Psychologist” from existing location to new door location

“Principals’ Secretary” from wall on open area to alcove wall on latch side of Door 01/106

END OF ADDENDUM 03

Respectfully Submitted,

Christopher Peters, AIA
Marotta/Main Architects, Inc.

Attachments:

- none